



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45

ACCREDITATION NO. 065

MICROBIOLOGICAL EXAMINATION OF WATER

(Multiple Tube Fermentation Technique)

Official Receipt Number	6707645	Sample Source	COLLEGE MEDICAL CLINIC
Control Number		Address	ANONAS ST STA MESA MANILA
Laboratory Number	4391		
Submitted by	PUP		
Date of Collection	AUGUST 29, 2017		
Time of Collection	8:50 AM	Physical Characteristics	CLEAR
Time Received	10:35 AM		

RESULT ANALYSIS

Total Coliform	Fecal Coliform	Heterotrophic Plate Count	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)

Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0
MPN/100 ml Fecal Coliform	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml

Laboratory Number	4391	CERTIFIED CORRECT: EMELYN J. BONDOC, RMT Medical Technologist IV LIC. NO. 13729
Submitted by		
Date of Collection	AUGUST 29, 2017	
Time of Collection	8:50 AM	

MEPSANTOS MD MARIA LOURDES MEPSANTOS MD, FPSP LIC. NO. 7830 Pathologist Officer-In-Charge LIC. NO. 7830		Remarks
Total Coliform	<1.1	PASSED



**POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT**



Republic of the Philippines
City of Manila
MANILA HEALTH DEPARTMENT
Division of Public Health Laboratory
208 Quiricada Street Sta. Cruz, Manila
Telephone Number 711-69-45
ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER
(Multiple Tube Fermentation Technique)

Official Receipt Number	6707645	Sample Source	HASMIN MEDICAL FAUCET
Control Number		Address	VALENCIA ST STA MESA M.H. DEL PILAR CAMPUS HASMIN
Laboratory Number	4392		
Submitted by	PUP-HASMIN CAMPUS		
Date of Collection	AUGUST 29, 2017	Physical Characteristics	CLEAR
Time of Collection	10:05 AM		
Time Received	10:35 AM		

RESULT ANALYSIS

Total Coliform	Fecal Coliform	Heterotrophic Plate Count	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)

Parameter	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1:1 or 0	Less than 1:3 or 0
MPN/100 ml Fecal Coliform	Less than 1:1 or 0	Less than 1:3 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

Laboratory Number: 4392
Submitted by: PUP
Date of Collection: AUGUST 29, 2017
Time of Collection: 10:05 AM
Remarks: None

CERTIFIED CORRECT:
Ey. Bondoc
EMELYN T. BONDOC, RMT
Medical Technologist IV
LIC. NO. 13729

MELBA S. SANTOS, MD, FPSP
LIC. NO. 7830
Pathologist
Officer-in-Charge
LIC. NO. 7830

Total Coliform	<1.1	Remarks	None
----------------	------	---------	------



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street, Sta. Cruz, Manila
 Telephone Number 711-69-45

ACCREDITATION NO. 065

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	6707645	Sample Source	COC-PUP MED. CLINIC
Control Number		Address	COC-NDC-PUP
Laboratory Number	4393		
Submitted by	PUP-COC CAMPUS		
Date of Collection	AUGUST 29, 2017		
Time of Collection	9:30 AM	Physical Characteristics	CLEAR
Time Received	10:35 AM		

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)		
	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	Less than 1.1 or 0
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

Laboratory Number	4393	CERTIFIED CORRECT: <i>E.T. Bondoc</i> EMELYN T. BONDOC, RMT Medical Technologist IV LIC. NO. 13729
Submitted by	COC	
Date of Collection	AUGUST 29, 2017	
Time of Collection	9:30	
Time Received	10:35	

Total Coliform	<1.1	PASSED
MARIA LOURDES LINDA SANTOS, MD, FPSP LIC. NO. 7830 Pathologist Officer-In-Charge		



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45

ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER

(Multiple Tube Fermentation Technique)

Official Receipt Number	6707645	Sample Source	DRINKING FOUNTAIN DIRECTLY CONNECTED TO "TANKEE"
Control Number		Address	PUP-LHS- MABINI CAMPUS STA MESA MANILA
Laboratory Number	4394		
Submitted by	PUP-LAB HIGH CAMPUS		
Date of Collection	AUGUST 29, 2017		
Time of Collection	8:45 AM	Physical Characteristics	CLEAR
Time Received	10:35 AM		

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)			
	Refilling Station		Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0		Less than 1.1 or 0
MPN/100 ml Fecal Coliform	Less than 1.1 or 0		Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml		

Laboratory Number		CERTIFIED CORRECT: EMELYN T. BONDOC, RMT Medical Technologist IV LIC. NO. 13729
Submitted by	PUP	
Date of Collection	AUGUST 29, 2017	
Time of Collection	8:45 AM	
Time Received	10:35 AM	
NOTED: MARIA LOURDES ARMEDA-SANTOS, MD, FPSP LIC. NO. 7830 Pathologist Officer-in-Charge LIC. NO. 7830		



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45

ACCREDITATION NO.065

NOTE: **MICROBIOLOGICAL EXAMINATION OF WATER**
 (Multiple Tube Fermentation Technique)

Official Receipt Number	6915681	Sample Source	FAUCET
Control Number		Address	ANONAS ST STA MESA MANILA
Laboratory Number	5681		
Submitted By	PUP-LHS		
Date of Collection	NOVEMBER 27, 2017		
Time of Collection	9:40 AM	Physical Characteristics	CLEAR
Time Received			

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count	Remarks
<1.1	<1.1	-NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)			
	Refilling Station		Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0		Less than 1.1 or 0
MPN/100 ml Fecal Coliform	Less than 1.1 or 0		Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml		

Laboratory Number: 5681
 Submitted By: PUP-LHS
 Date of Collection: NOVEMBER 27, 2017
 Time of Collection: 9:40 AM
 Time Received: [Blank]
 NOTED: [Blank]

CERTIFIED CORRECT:
 E.M. Bondoc
EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

MARIA LOURDES EPINEDA SANTOS, MD, FPSP
 Pathologist
 Officer-in-Charge
 LIC. NO. 7830

Total Coliform	<1.1	Remarks	PASSED
----------------	------	---------	--------



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-65-45

ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	6915681	Sample Source	FAUCET
Control Number		Address	ANONAS ST STA MESA MANILA
Laboratory Number	5682		
Submitted By	PUP MABINI CAMPUS		
Date of Collection	NOVEMBER 27, 2017		
Time of Collection	9:30 AM	Physical Characteristics	CLEAR
Time Received			

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)			
	Refilling Station		Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0		Less than 1.1 or 0
MPN/100 ml Fecal Coliform	Less than 1.1 or 0		Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml		

Laboratory Number	5682	CERTIFIED CORRECT:	<i>E. T. Bondoc</i>
Submitted By	PUP		
Date of Collection	NOV 27, 2017		
Time of Collection			
Time NOTED			

MARIA LOURDES B. PINEDA-SANTOS, MD, FPSP Pathologist Officer-in-Charge LIC. NO. 7830		EMELYN T. BONDOC, RMT Medical Technologist IV LIC. NO. 13729
Total Coliform	<1.1	Remarks



**POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT**



Republic of the Philippines
City of Manila
MANILA HEALTH DEPARTMENT
Division of Public Health Laboratory
208 Quinsocada Street Sta. Cruz, Manila
Telephone Number 711-69-45
ACCREDITATION NO.055

MICROBIOLOGICAL EXAMINATION OF WATER
(Multiple Tube Fermentation Technique)

Official Receipt Number	6915681	Sample Source	PARKING A, FAUCET
Control Number		Address	ANONAS ST STA MESA MANILA
Laboratory Number	5683		
Submitted By	PUP-CEA		
Date of Collection	NOVEMBER 27, 2017		
Time of Collection	9:20 AM	Physical Characteristics	CLEAR
Time Received			

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)			
Refilling Station / Public Water Sample			
MPN/100 ml Total Coliform	Less than 1.1 or 0		
MPN/100 ml Fecal Coliform	Less than 1.1 or 0		Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml		

Laboratory Number		CERTIFIED CORRECT:	
Submitted By	PUP		
Date of Collection	NOVEMBER 27, 2017		
Time of Collection	9:20 AM		
Time Received			

 MARIA LOURDES E. VENERA SANTOS, MD, FPSP Pathologist Officer-in-Charge LIC. NO. 7830		 EMELYN T. BONDOC, RMT Medical Technologist V LIC. NO. 13729
Total Coliform	<1.1	PASSED



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-6945
 Accreditation No. 065

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	6915681	Sample Source	MOTORPOOL FAUCET
Control Number		Address	ANONAS ST STA MESA MANILA
Laboratory Number	5684		
Submitted By	INSITUTE OF TECHNOLOGY PUP		
Date of Collection	NOVEMBER 27, 2017		
Time of Collection	9:10 AM	Physical Characteristics	CLEAR
Time Received			

RESULT ANALYSIS

Total Coliform	Fecal Coliform	Heterotrophic Plate Count	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)

Parameter	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	Less than 1.1 or 0
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

Laboratory Number		CERTIFIED CORRECT: <i>E. Bondoc</i> EMELYN T. BONDOC, RMT Medical Technologist IV LIC. NO. 13729
Submitted By	INSITUTE OF TECHNOLOGY PUP	
Date of Collection	NOVEMBER 27, 2017	
Time of Collection	9:10 AM	
Time Received		

Total Coliform	<1.1	MRS. MARIA LOURDES P. BARRERA SANTOS, MD, FPSP Pathologist Officer-In-Charge LIC. NO. 7830
Fecal Coliform	<1.1	
Heterotrophic Plate Count	NONE	



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45
 ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	6915681	Sample Source	2 ND MALE CR
Control Number		Address	COC-NDC-PUP
Laboratory Number	5685		
Submitted By			
Date of Collection	NOVEMBER 27, 2017	Physical Characteristics	CLEAR
Time of Collection	9:30 AM		
Time Received			

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)		
	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	Less than 1.1 or 0
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

Laboratory Number	5685	CERTIFIED CORRECT: EMELYN T. BONDOC, RMT Medical Technologist IV LIC. NO. 13729
Submitted By		
Date of Collection	NOVEMBER 27, 2017	
Time of Collection		
Time Received		

MERSANTOS, MD MARIA LOURDES MERSANTOS, MD, FPSP Pathologist Officer-In-Charge LIC. NO. 7830		Remarks
Total Coliform	<1.1	PASSED





POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT

Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45
 ACCREDITATION NO.065

EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	6915681	Sample Source	FAUCET
Control Number		Address	VALENCIA ST STA MESA MANILA
Laboratory Number	5686		
Submitted By	PUP M.H. DEL PILAR CAMPUS		
Date of Collection	NOVEMBER 27, 2017		
Time of Collection	8:20 AM	Physical Characteristics	CLEAR
Time Received			

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)			
	Refilling Station	Public Water Sample	
MPN/100 ml Total Coliform	Less than 1.1 or 0	Less than 1.1 or 0	
MPN/100 ml Fecal Coliforms	Less than 1.1 or 0	Less than 1.1 or 0	
Heterotrophic Plate Count	Less than 500 cfu/ml		

Laboratory Number: 5686
 Submitted By: PUP M.H. DEL PILAR CAMPUS
 Date of Collection: NOVEMBER 27, 2017
 Time of Collection: 8:20 AM
 Time Received:

CERTIFIED CORRECT:
 EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

MARIA LOURDES TORRENDA SANTOS, MD, FPSP
 Pathologist
 Officer-in-Charge
 LIC. NO. 7830

Total Coliform: <1.1
 Fecal Coliform: <1.1
 Heterotrophic Plate Count: NONE
 Remarks: PASSED



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number : 711-69-45

ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number : 7414906	Sample Source : COC CLINIC FAUCET
Control Number :	Address : ANONAS ST. STA. MESA, MANILA
Laboratory Number : 2496	
Submitted By : PUP COC	
Date of Collection : MAY 8, 2018	
Time of Collection : 8:00 AM	Physical Characteristics : CLEAR
Time Received : 9:43 AM	

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count cfu/ml	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)		
	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

EXAMINER:

CERTIFIED CORRECT:

MARIA LOURDES E. FINEDA-SANTOS, MD, FPSP
 Pathologist
 Officer-In-Charge
 LIC. NO. 7830

[Signature]
 License No. 24585
[Signature]
LETICIA F. BERNALES, RPT, MPH
 LICENSE NO. 11061

Por F 5-3



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
City of Manila
MANILA HEALTH DEPARTMENT
Division of Public Health Laboratory
208 Quiricada Street Sta. Cruz, Manila
Telephone Number 711-69-45

ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER

(Multiple Tube Fermentation Technique)

Official Receipt Number	71587484	Sample Source	COC- CLINIC
Control Number		Address	PUP- ANONAS ST. STA MESA MANILA
Laboratory Number	984		
Submitted By	PUP - COC		
Date of Collection	FEBRUARY 14, 2018	Physical Characteristics	CLEAR
Time of Collection	10:15 AM		
Time Received	1:00 PM		

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count cfu/ml	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)		
	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

CERTIFIED CORRECT:

Emelyn T. Bondoc
EMELYN T. BONDOC, RMT
Medical Technologist IV
LIC. NO. 13729

NOTED:

Maria Lourdes Pineda Santos
MARIA LOURDES PINEDA-SANTOS, MD, FPSP
Pathologist
Officer-in-Charge
LIC. NO. 7830

Mar Liza T. Yanes
Mar Liza T. Yanes M.D.
Lic. No. 80830



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45

ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER

(Multiple Tube Fermentation Technique)

Official Receipt Number	6915681	Sample Source	2 ND MALE CR
Control Number		Address	COC-NDC -PUP
Laboratory Number	5685		
Submitted By			
Date of Collection	NOVEMBER 27,2017		
Time of Collection	9:30 AM	Physical Characteristics	CLEAR
Time Received			

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count cfu/ml	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)		
	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

CERTIFIED CORRECT:

E.T. Bondoc
 EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

NOTED:

Maria Lourdes Forina
MERCANTOS, MD
 MARIA LOURDES FORINA MERCANTOS, MD, FPSP
 Pathologist
 Officer-in-Charge
 LIC. NO. 7830

Liza T. Yanes
 Ma. Liza T. Yanes M.D.
 Lic. No. 80630



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-6945

Ey. Bondoc
EMELYN T. BONDOC
 Medical Technologist IV
 LIC. NO. 13729

NOTED:

ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	6707645	Sample Source	MORORPOOL FAUCET
Control Number		Address	HDC COMPOUND STA MESA MANILA
Laboratory Number	4390		
Submitted by	PUP-ITECH CAMPUS		
Date of Collection	AUGUST 29, 2017		
Time of Collection	9:30 AM	Physical Characteristics	CLEAR
Time Received	10:35 AM		

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)		
	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	Less than 1.1 or 0
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

Laboratory Number	4390	CERTIFIED CORRECT <i>Ey. Bondoc</i> EMELYN T. BONDOC, RMT Medical Technologist IV LIC. NO. 13729
Submitted by	PUP-ITECH CAMPUS	
Date of Collection	AUGUST 29, 2017	
Time of Collection	9:30 AM	
Time Received	10:35 AM	

MARIA LOURDES BINI-DRASANTOS, MD, FPSP LIC. NO. 7830 Pathologist Officer-in-Charge LIC. NO. 7830		
---	--	--



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45
 ACCREDITATION NO.065
 EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

NOTED: **MICROBIOLOGICAL EXAMINATION OF WATER**
 (Multiple Tube Fermentation Technique)

Official Receipt Number	6707645	Sample Source	FAUCET AT PARKING LOT A AT THE BACK OF ME STEAM LAB.
Control Number		Address	ANONAS ST STA MESA MANILA
Laboratory Number	4389		
Submitted by	NDC-CEA CAMPUS (PUP)		
Date of Collection	AUGUST 29, 2017	Physical Characteristics	CLEAR
Time of Collection	9:25 AM		
Time Received	10:35 AM		

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)			
	Refilling Station		Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0		Less than 1.1 or 0
MPN/100 ml Fecal Coliform	Less than 1.1 or 0		Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml		Less than 500 cfu/ml

Laboratory Number: 4389
 Submitted by: NDC-CEA CAMPUS (PUP)
 Date of Collection: AUGUST 29, 2017
 Time of Collection: 9:25 AM
 Time Received: 10:35 AM
 NOTED: *[Signature]*
 CERTIFIED CORRECT:
[Signature]
 EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

MARIA LUCIA P. SANTIAGO SANTIAGO, MD, FPSP
 LIC. NO. 7830
 Pathologist
 Officer-in-Charge
 LIC. NO. 7830





POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45

ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	6707645	Sample Source	COC-PUP MED. CLINIC
Control Number		Address	COC-NDC-PUP
Laboratory Number	4393		
Submitted by	PUP-COC CAMPUS		
Date of Collection	AUGUST 29, 2017		
Time of Collection	9:30 AM	Physical Characteristics	CLEAR
Time Received	10:35 AM		

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count cfu/ml	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)		
	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

CERTIFIED CORRECT:

E.T. Bondoc
EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

NOTED:

Maria Lourdes F. Pineda Santos
MARIA LOURDES F. PINEDA SANTOS, MD, FPSP
 LIC. NO. 78301
 Pathologist
 Officer-In-Charge
 LIC. NO. 7830

Ma. Liza T. Yanes M.D.
Ma. Liza T. Yanes M.D.
 Lic. No. 80630



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45

EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	6430857	Sample Source	DRINKING FOUNTAIN
Control Number		Address	PUP ANONAS ST STA MESA MANILA
Laboratory Number	2493		
Submitted by	PUP- LHS		
Date of Collection	MAY 15, 2017	Physical Characteristics	CLEAR
Time of Collection	8:35 AM		
Time Received	9:40 AM		

RESULT ANALYSIS

Total Coliform	Fecal Coliform	Heterotrophic Plate Count	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)

	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	Less than 1.1 or 0
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500cfu/ml	

Laboratory Number: 2493
 Submitted by: PUP- LHS
 Date of Collection: MAY 15, 2017
 Time of Collection: 8:35 AM
 Time Received: 9:40 AM

CERTIFIED CORRECT:
Emelyn T. Bondoc
EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

MARIA LOURDES EDUARDA SANTOS, MD, FPSP
 Pathologist
 Officer-In-Charge
 LIC. NO: 7830



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45
 ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	6414957	Sample Source	CEA FAUCET
Control Number		Address	ANONAS ST STA MESA MANILA
Laboratory Number	2492		
Submitted by	PUP- CEA CAMPOS		
Date of Collection	MAY 15, 2017		
Time of Collection	9:00 AM	Physical Characteristics	CLEAR
Time Received	9:40 AM		

RESULT ANALYSIS

Total Coliform	Fecal Coliform	Heterotrophic Plate Count	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)

Parameter	Standard
MPN/100 ml Total Coliform	Less than 1.1 or 0
MPN/100 ml Fecal Coliform	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml

Laboratory Member	EMELYNT BONDOC	CERTIFIED CORRECT:	<i>E. Bondoc</i>
Submitted by	CEA CAMPOS		
Date of Collection	MAY 15, 2017		
Time of Collection	9:00 AM		
Time Received	9:40 AM		

Officer-In-Charge	MARIA LOURDES E. PINEDA-SANTOS, MD, FPSP LIC. NO. 7830 Pathologist		
Total Coliform	<1.1		



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines

City of Manila

MANILA HEALTH DEPARTMENT

Division of Public Health Laboratory

208 Quiricada Street Sta. Cruz, Manila

Telephone Number 711-69-45

EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

NOTED:

ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER

(Multiple Tube Fermentation Technique)

Official Receipt Number	6414957	Sample Source	FAUCET
Control Number		Address	ANONAS ST STA MESA, MANILA
Laboratory Number	2491		
Submitted by	PUP- MABINI CAMPOS		
Date of Collection	MAY 15, 2017		
Time of Collection	8:50 AM	Physical Characteristics	CLEAR
Time Received	9:40 AM		

RESULT ANALYSIS

Total Coliform	Fecal Coliform	Heterotrophic Plate Count	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)

	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	Less than 1.1 or 0
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

Laboratory Number	2491	CERTIFIED CORRECT: EMELYN T. BONDOC, RMT Medical Technologist IV LIC. NO. 13729
Submitted by	PUP- MABINI CAMPOS	
Date of Collection	MAY 15, 2017	
Time of Collection	8:50 AM	
Time Received	9:40 AM	

MARIA LOURDES E. PINEDA-SANTOS, MD, FPSP Pathologist Officer-in-Charge LIC. NO. 7830	
Total Coliform	<1.1
Fecal Coliform	<1.1
Heterotrophic Plate Count	NONE
Remarks	PASSED



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines

City of Manila

MANILA HEALTH DEPARTMENT

Division of Public Health Laboratory

208 Quiricada Street Sta. Cruz, Manila

Telephone Number 711-69-45

ACCREDITATION NO.065

E.T. Bondoc
 EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

NOTED:

MICROBIOLOGICAL EXAMINATION OF WATER

(Multiple Tube Fermentation Technique)

Official Receipt Number	6414957	Sample Source	
Control Number		Address	ANONAS ST. STA MESA MANILA
Laboratory Number	2490		
Submitted by	PUP-COC		
Date of Collection	MAY 15, 2017		
Time of Collection	7:30 AM	Physical Characteristics	CLEAR
Time Received	9:40 AM		

RESULT ANALYSIS

Total Coliform	Fecal Coliform	Heterotrophic Plate Count cfu/ml	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)

	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	Less than 1.1 or 0
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

Laboratory Number		CERTIFIED CORRECT: <i>E.T. Bondoc</i> EMELYN T. BONDOC, RMT Medical Technologist IV LIC. NO. 13729
Submitted by		
Date of Collection		
Time of Collection		

MARIA LOURDES E. PINEDA-SANTOS, MD, FPSP Pathologist Officer-In-Charge LIC. NO. 7830	
--	--



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45
 ACCREDITATION NO:065

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	6414957	Sample Source	MASMIN FAUCET
Control Number		Address	MEDICA CLINIC STA MESA MANILA
Laboratory Number	2489		
Submitted by	PUP-MH DEL PILAR CAMPOS STA MESA		
Date of Collection	MAY 15, 2017	Physical Characteristics	CLEAR
Time of Collection	8:05 AM		
Time Received	9:40 AM		

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count cfu/ml	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)		
	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	Less than 1.1 or 0
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

Submitted by	PUP-MH DEL PILAR CAMPOS STA MESA	CERTIFIED CORRECT:	<i>E. Bondoc</i>
Date of Collection	MAY 15, 2017	Physical Characteristics	CLEAR
Time of Collection	8:05 AM	Analyst	EMELYN T. BONDOC, RMT
Time Received	9:40 AM	License No.	13729

MEP SANTOS, MD
 MARIA LOURDES E. PINEDA-SANTOS, MD, FPSP
 Pathologist
 Officer-In-Charge
 LIC. NO. 7830



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila

MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45

ACCREDITATION NO.065

EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

NOTED:

MICROBIOLOGICAL EXAMINATION OF WATER

(Multiple Tube Fermentation Technique)

Official Receipt Number	64149577	Sample Source	INDOOR POOL FAUCET
Control Number		Address	NDC COMPOUND STA MESA MANILA
Laboratory Number	2488		
Submitted by	PUP INSTITUTE OF TECHNOLOGY		
Date of Collection	MAY 15, 2017		
Time of Collection	8:40 AM	Physical Characteristics	CLEAR
Time Received	9:40 AM		

RESULT ANALYSIS

Total Coliform	Fecal Coliform	Heterotrophic Plate Count	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)

	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	Less than 1.1 or 0
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

Submitted by PUP INSTITUTE OF TECHNOLOGY
 Date of Collection MAY 15, 2017
 Time of Collection 8:40 AM
 Time Received 9:40 AM

CERTIFIED CORRECT:

EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

MARIA LOURDES PINEDA-SANTOS, MD, FPSP
 Pathologist
 Officer-In-Charge
 LIC. NO. 7830





POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45

ACCREDITATION NO.065
MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	6414957	Sample Source	
Control Number		Address	ANONAS ST STA MESA MANILA
Laboratory Number	2490		
Submitted by	PUP- COC		
Date of Collection	MAY 15, 2017	Physical Characteristics	CLEAR
Time of Collection	7:30 AM		
Time Received	9:40 AM		

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count cfu/ml	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)		
	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

CERTIFIED CORRECT:

E. T. Bondoc
EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

NOTED:

Maria Lourdes E. Rineda Santos
MEL SANTOS MD
MARIA LOURDES E. RINEDA SANTOS MD, FPSP
 Pathologist
 Officer-In-Charge
 LIC. NO. 7830

Ma. Liza T. Yanes
Ma. Liza T. Yanes M.D.
 Lic. No. 80830



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45
 ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	6124223	Sample Source	
Control Number		Address	VALENCIA ST STA MESA MANILA
Laboratory Number	852		
Submitted by	PUP-HASMIN		
Date of Collection	FEBRUARY 13, 2017		
Time of Collection	8:50 AM	Physical Characteristics	CLEAR
Time Received	10:30 AM		

RESULT ANALYSIS

Total Coliform	Fecal Coliform	Heterotrophic Plate Count cfu/ml	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW.)

	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

Laboratory Number		CERTIFIED CORRECT:
Submitted by		<i>E.T. Bondoc</i>
Date of Collection		EMELYN T. BONDOC, RMT
Time of Collection		Medical Technologist IV
Time Received		LIC. NO. 13729

MARIA LOURDES E. PINEDA-SANTOS, MD, FPSP	Pathologist	Remarks
	Officer-In-Charge	
	LIC. NO. 7830	



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45

ACCREDITATION NO.065

EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	6124223	Sample Source	FAUCET IN MAIN TANK
Control Number		Address	ANONAS ST STA MESA MANILA
Laboratory Number	853		
Submitted by	PUP- LABORATORY HIGH SCHOOL		
Date of Collection	FEBRUARY 13, 2017		
Time of Collection	9:00 AM	Physical Characteristics	CLEAR
Time Received	10:30 AM		

RESULT ANALYSIS

Total Coliform	Fecal Coliform	Heterotrophic Plate Count	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)

	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	Less than 1.1 or 0
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

Submitted by	PUP- LABORATORY HIGH SCHOOL	CERTIFIED CORRECT:	EMELYN T. BONDOC, RMT
Date of Collection	FEBRUARY 13, 2017		Medical Technologist IV
Time of Collection	9:00 AM		LIC. NO. 13729
Time Received	10:30 AM		

Total Coliform	<1.1	Remarks	PASSED
Officer-in-Charge	MARIA LOURDES P. PINEDA-SANTOS, MD, EPSP LIC# 78301 Pathologist		
	LIC. NO. 7830		



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila

MANILA HEALTH DEPARTMENT

Division of Public Health Laboratory

208 Quiricada Street Sta. Cruz, Manila

Telephone Number: 711-69-45

ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER

(Multiple Tube Fermentation Technique)

Official Receipt Number	6124223	Sample Source	CEA CLINIC FAUCET
Control Number		Address	ANONAS ST STA MESA MANILA
Laboratory Number	854		
Submitted by	PUP-CEA		
Date of Collection	FEBRUARY 13, 2017		
Time of Collection	9:00 AM	Physical Characteristics	CLEAR
Time Received	10:30 AM		

RESULT ANALYSIS

Total Coliform	Fecal Coliform	Heterotrophic Plate Count cfu/ml	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)

	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1	Less than 1.1
MPN/100 ml Fecal Coliform	Less than 1.1	Less than 1.1
Heterotrophic Plate Count	Less than 500 cfu/ml	Less than 500 cfu/ml

Laboratory Number	854	CERTIFIED CORRECT:	
Submitted by	PUP-CEA		<i>E.Y. Bondoc</i>
Date of Collection	FEBRUARY 13, 2017		
Time of Collection	9:00 AM	Physicist	EMELYNT BONDOK, RMT
Time Received	10:30 AM		Medical Technologist IV
			LIC. NO. 13729

	MARIA LOUISE SPINEDA SANDOZ, MD, FPSP		
Total Coliform	LIC. NO. 78301	Physician	
	Officer-In-Charge		
	LIC. NO. 78301		
<1.1			PASSED





POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45

ACCREDITATION NO. 065

MICROBIOLOGICAL EXAMINATION OF WATER

(Multiple Tube Fermentation Technique)

Official Receipt Number	6124223	Sample Source	MOTORPOOL FAUCET
Control Number		Address	ANONAS ST STA MESA MANILA
Laboratory Number	857		
Submitted by	PUP-I-TECH		
Date of Collection	FEBRUARY 13, 2017		
Time of Collection	9:00 AM	Physical Characteristics	CLEAR
Time Received	10:30 AM		

RESULT ANALYSIS

Total Coliform	Fecal Coliform	Heterotrophic Plate Count	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)

	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 111 or 0	Less than 111 or 0
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	Less than 500 cfu/ml

Laboratory Number		CERTIFIED CORRECT:
Submitted by	PUP-I-TECH	<i>Ey. Bondoc</i>
Date of Collection	FEBRUARY 13, 2017	EMELYN T. BONDOC, RMT
Time of Collection	9:00 AM	Medical Technologist IV
Time Received	10:30 AM	LIC. NO. 13729

MEPSANTOS, MD MARIA LOURDE BINGOA-SANTOS, MD, FPSP Pathologist Officer-in-Charge LIC. NO: 7830		
Total Coliform		Remarks
		PASSED



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45

ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER

(Multiple Tube Fermentation Technique)

Official Receipt Number	6124223	Sample Source	FAUCET
Control Number		Address	ANONAS ST STA MESA MANILA
Laboratory Number	855		
Submitted by	PUP- MABINI CAMPUS		
Date of Collection	FEBRUARY 13, 2017		
Time of Collection	8:40 AM	Physical Characteristics	CLEAR
Time Received	10:30 AM		

RESULT ANALYSIS

Total Coliform	Fecal Coliform	Heterotrophic Plate Count cfu/ml	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)

	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	Less than 1.1 or 0
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	Less than 1.1 or 0

Laboratory Number		CERTIFIED CORRECT: EMELYN T. BONDOC, RMT Medical Technologist IV LIC. NO. 13729
Submitted by		
Date of Collection		
Time of Collection	8:40 AM	
Time Received	10:30 AM	

MARIA LOURDES L. PINEDA-SANTOS, MD, FPSP Pathologist Officer-In-Charge LIC. NO. 7830		Remarks
Total Coliform	<1.1	PASSED



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45

ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	6124223	Sample Source	
Control Number		Address	ANONA ST SAMPALOC MANILA
Laboratory Number	856		
Submitted by	PUP- COC		
Date of Collection	FEBRUARY 13, 2017		
Time of Collection	8:50 AM	Physical Characteristics	CLEAR
Time Received	10:30 AM		

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count cfu/ml	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)		
	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

CERTIFIED CORRECT:

Emelyn T. Bondoc
EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

NOTED:

Maria Lourdes M. Santos
MEPSANTOS, MD
 MARIA LOURDES M. SANTOS, MD, FPSP
 Pathologist
 Officer-In-Charge
 LIC. NO. 7830

Liza T. Yanes
 Liza T. Yanes M.D.
 Lic. No. 00630



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiracada Street Sta. Cruz, Manila
 Telephone Number 711-69-45

ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	6124223	Sample Source	
Control Number		Address	ANONA ST SAMPALOC MANILA
Laboratory Number	856		
Submitted by	PUP-COC		
Date of Collection	FEBRUARY 13, 2017	Physical Characteristics	CLEAR
Time of Collection	8:50 AM		
Time Received	10:30 AM		

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)			
	Refilling Station	Public Water Sample	
MPN/100 ml Total Coliform	Less than 1.1 or 0	Less than 1.1 or 0	
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0	
Heterotrophic Plate Count	Less than 500 cfu/ml		

Laboratory Number: 856
 Submitted by: PUP-COC
 Date of Collection: FEB 13 2017
 Time of Collection: 8:50 AM
 Time Received: 10:30 AM

CERTIFIED CORRECT:
 EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

MEPSANTOS, MD
 MARIA LOURDES E. PINERA-SANTOS, MD, FPSP
 Pathologist
 Officer-In-Charge
 LIC. NO. 7830

Remarks: PASSED



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45

ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	5834276	Sample Source	COC - FACULTY CR
Control Number		Address	ANONAS ST STA. MESA MANILA
Laboratory Number	5257		
Submitted by	PUP COC		
Date of Collection	OCTOBER 25, 2016	Physical Characteristics	CLEAR
Time of Collection	8:30 AM		
Time Received			

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count cfu/ml	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)		
	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

CERTIFIED CORRECT:

Emelyn T. Bondoc
 EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

NOTED:

Maria Lourdes E. Pineda Santos
MEP SANTOS, MD
 LIC. NO. 7830
 MARIA LOURDES E. PINEDA SANTOS, MD, FPSP
 Pathologist
 Officer-in-Charge
 LIC. NO. 7830



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45

ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	5576387	Sample Source	PUP COC CAMPUS(G/F)
Control Number		Address	ANONAS ST. STA. MESA MANILA
Laboratory Number	3910		
Submitted by	PUP		
Date of Collection	JULY 27, 2016		
Time of Collection	8:30 AM	Physical Characteristics	CLEAR
Time Received	10:45 AM		

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count cfu/ml	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)		
	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

CERTIFIED CORRECT:

E.T. Bondoc
 EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

NOTED:

Maria Lourdes E. Pineda-Santos
MEPSANTOS, MD
 MARIA LOURDES E. PINEDA-SANTOS, MD, FPSP
 Pathologist
 Officer-In-Charge
 LIC. NO. 7830



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45

ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	5411409	Sample Source	FEMALE CR- 1 ST FLOOR
Control Number		Address	PUP ANONAS ST STA MESA MANILA
Laboratory Number	2338		
Submitted by	PUP-CDC		
Date of Collection	MAY 11, 2016		
Time of Collection	9:00 AM	Physical Characteristics	CLEAR
Time Received	10:45 AM		

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count cfu/ml	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)		
	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

CERTIFIED CORRECT:

Emelyn T. Bondoc
 EMELYN T. BONDOC, RMT
 License No. 13729

EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

NOTED:

Maria Lourdes E. Pineda-Santos
 MEPSANTOS, MD
 LIC# 78301

MARIA LOURDES E. PINEDA-SANTOS, MD, FPSP
 Pathologist
 Officer-in-Charge
 LIC. NO. 7830



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45

ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	5713401	Sample	COC-FEMALE CR-18 TH FLOOR
Control Number		ADDRESS	ANONAS ST. STA. MESA, MANILA
Laboratory Number	1085		
Submitted	PUP-COC		
Date of Collection	FEBRUARY 23, 2016		
Time of Collection	9:00 AM	Physical Characteristics	CLEAR
Time Received			

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count cfu/ml	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)		
	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

Certified Correct:

Note:

Maria Lourdes E. Pineda-Santos
MEPSANTOS, MD
 LIC. NO. 7830

MARIA LOURDES E. PINEDA-SANTOS, MD, FPSP
 Pathologist
 Officer-In-Charge
 LIC. NO. 7830

Emelyn T. Bondoc
EMELYN T. BONDOC, RMT
 Medical Technologist (V)
 LIC. NO. 13729



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH OFFICE
 Division of Public Health Laboratory
 208 Quirica Street, 3rd Floor, Manila
 Telephone Number: 724-5845

ACCREDITATION No. 001

MICROBIOLOGICAL EXAMINATION OF WATER

(Multiple Tube Fermentation Method)

Official Receipt Number: 4765735	Sample Source: COMPANY
Control Number: 382	ADDRESS: ANONAS
Laboratory Number: 382	
Submitted: PUP COE CAMPUS	
Date of Collection: DECEMBER 1, 2015	
Time of Collection: 11:00 AM	Key to Water Characteristics: 10000
Time Received:	

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Enterococci	Remarks
<1.1	<1.1	NONE	POSITIVE

Philippine National Standards for Drinking Water	
Bottle Water	
MPN/100ml Total Coliforms	Less than 100
MPN/100ml Fecal Coliforms	Less than 10
Heterotrophic Plate Count	Less than 500

Cached Copy

Note:

MELISSA NIMIS MD
 MANILA HEALTH OFFICE DIVISION OF PUBLIC HEALTH LABORATORY
 Microbiologist
 Officer-in-Charge
 Lic. No. 7880



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45

ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	4672019	Sample Source	BROADCAST OFFICE
Control Number		ADDRESS	ANONAS, STA. MESA, MANILA
Laboratory Number	4117		
Submitted by	PUP CDC		
Date of Collection	SEPTEMBER 8, 2015		
Time of Collection	8:40 AM	Physical Characteristics	CLEAR
Time Received			

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count cfu/ml	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)		
	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

Certified Correct:

E.T. Bondoc
 EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

Note:

Maria Lourdes E. Pineda-Santos
 MARIA LOURDES E. PINEDA-SANTOS, MD, FPSP
 Pathologist
 Officer-In-Charge
 LIC. NO. 78301



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-69-45

ACCREDITATION NO.065

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

Official Receipt Number	4359135	Sample Source	COC SECURITY OFFICE
Control Number		Location	ANONAS ST. STA MESA MANILA
Laboratory Number	2382		
Submitted	PUP COC MEDICAL		
Date of Collection	MAY 26, 2015		
Time of Collection	7:45 AM	Physical Characteristics	CLEAR
Time Received	9:30 AM		

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count cfu/ml	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)		
	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

Certified Correct:

Emelyn T. Bondoc
EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

Note:

Maria Lourdes E. Pineda-Santos
MARIA LOURDES E. PINEDA-SANTOS, MD, FPSP
 Pathologist
 Officer-In-Charge
 LIC. NO. 78301



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
 COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT



Republic of the Philippines
 City of Manila
MANILA HEALTH DEPARTMENT
 Division of Public Health Laboratory
 208 Quiricada Street Sta. Cruz, Manila
 Telephone Number 711-89-45

ACCREDITATION NO. 865

MICROBIOLOGICAL EXAMINATION OF WATER
 (Multiple Tube Fermentation Technique)

OFFICIAL RECEIPT NUMBER 4094072	SAMPLE SOURCE COC CLINIC
CONTROL NUMBER	LOCATION ANONAS ST. STA MESA MANILA
LABORATORY NUMBER 1160	
SUBMITTED BY PUP COC CAMPUS	
DATE OF SUBMISSION MARCH 2, 2015	
TIME OF COLLECTION 9:45 AM	Physical Characteristics CLEAR
TIME RECEIVED 11:16 AM	

RESULT ANALYSIS			
Total Coliform	Fecal Coliform	Heterotrophic Plate Count cfu/ml	Remarks
<1.1	<1.1	NONE	PASSED

Philippine National Standards for Drinking Water (PNSDW)		
	Refilling Station	Public Water Sample
MPN/100 ml Total Coliform	Less than 1.1 or 0	
MPN/100 ml Fecal Coliform	Less than 1.1 or 0	Less than 1.1 or 0
Heterotrophic Plate Count	Less than 500 cfu/ml	

Certified Correct

E.T. Bondoc
 EMELYN T. BONDOC, RMT
 Medical Technologist IV
 LIC. NO. 13729

Note

Maria Lourdes E. Pineda-Santos
 MARIA LOURDES E. PINEDA-SANTOS, MD, FPSP
 Pathologist
 Officer-In-Charge
 LIC. NO. 78301



POLYTECHNIC UNIVERSITY OF THE PHILIPPINES
COLLEGE OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT

TREATMENT ROOM



A potable water available for the patient inside of the University Clinic